WATER WELL REPORT

STATE OF WASHINGTON

Application No.

Permit No OWNER: Name... Mikr BurdoHe Address Box 1144 Der sorts MD. 14) LOCATION OF WELL: County Spollar - SE4 SE 4 Sec 32 T Z2 N. R. 42W saring and distance from section or subdivision corner (3) PROPOSED USE: Domestic | Industrial | Municipal | (10) WELL LOG: Irrigation [] Test Well [] Other Formation: Describe by color, character, size of material and structure, a show thickness of aquifers and the kind and nature of the material in a stratum penetrated, with at least one entry for each change of formations. (4) TYPE OF WORK: Owner's number of well (if more man one).... man one)....
Method: Dur MATERIAL New well TO TO Bored [] Deepened TOP Sa. 1 Cable [1 Driven [] Rotary Jetted Byn Sand Texas Reconditioned [12 BYW. SMART (5) DIMENSIONS: Diameter of well At. 95 \$ 113 (6) CONSTRUCTION DETAILS: Casing installed: 6 "Diam from 12 / n. to 12 n. " Diam. from ft. to ft. Threaded [] Welded D Perforations: Yes 🗆 No 🛍 Type of perforator used..... SIZE of perforations in. by in. ... perforations from ft. to ft. perforations from ft. to ft. Screens: Yes | No [] Manufacturer's Name..... Type Model No. Diam. Slot size from ft. to ft. Diam: Slot size from ft. to ft. Gravel packed: Yes [] No [] Size of gravel: Surface seal: Yes to that depth? After Material used in seal Complexes for do live Did any strata contain unusable water? Yes Type of water?..... Depth of strata..... 1983 Method of sealing strata off DEPARTMENT OF FOOLOGY (7) PUMP: Manufacturer's Name..... (8) WATER LEVELS: Land-surface elevation 2/30 Static levelft. below top of well Date Z. Artesian pressurelbs. per square inch Date..... Artesian water is controlled by..... (Cap, valve, etc.) Drawdown is amount water level is lowered below static level (9) WELL TESTS: Work started 7-24, 19 43. Completed 3 24 Was a pump test made? Yes . No . If yes, by whom?.... Yield: WELL DRILLER'S STATEMENT: gal./min. with ft. drawdown after hrs. This well was drilled under my jurisdiction and this report i true to the best of my knowledge and belief. Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level) a g LOvillias Tree (Person, firm, or corporation) Water Level | Time Water Level | Time (Type or print) Date of test Bailer test gal/min, with.....ft. drawdown after......ft. Artesian flow.....g.p.m. Date..... License No. 32/8 Date 74 5 , 19.6 File Original and First Copy with Department of Ecology Second Copy — Owner's Copy
Third Copy — Driller's Copy

WATER WELL REPORT STATE OF WASHINGTON

Start Card No.	W	97428	_
MICHIE WELL LO.		1	

	Water Right Permit No.		
(r, JWNER: Name Mike Burdette Address P O Box 1144 Deer Park, WA 99006-1144			
(2' LOCATION OF WELL: County Spokene	- SW 1/4 SE 1/4 Sec 32 T. 29 N.R 1/2		
(2 STREET ADDRESS OF WELL (or nearest actives) Dahl Rd.			
(3) PROPOSED USE: ** Domestic Industrial ** Municipal ** Municipal **	(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION Formation: Describe by color, character, size of material and structure, and show thickness of aquit and the lond and nature of the material in each stratum penetrated, with at least one entry for e		
☐ DeWater Test Well ☐ Other ☐			
(4) TYPE OF WORK: Owner's number of well (If more than one)	onenge of information.		
Absindoned New well Method: Dug Boned Despensed Cable Driven	THOSE TO		
Reconditioned C Rotary 25 Jetted C	Topsoil 0 2 Clay-brnmed. 2 5		
(5) DIMENSIONS: Diameter of well 6 inches	03		
Drilled 160 feet. Depth of completed well 160 ft.			
	Clay-grey-hard 48 51		
(6) CONSTRUCTION DETAILS:	Reselt-freet weller ham		
Casing Installed: 6 Diam. from +1 ft. to 70 ft.	Paralt and to anoth		
Welded © Clam. from ft. to R. Threaded Diam. from ft. to ft.	Breel+-mod (9 40)		
	Basalt-fract,-water 124 126		
Perforations: Yes No 🛣	Basalt-med. 126 141		
Type of perforator used	Basalt-fractwater 1/1 1/12		
SIZE of perforations in. byin.	Basalt-med. 102 160		
perforations fromft. toft.			
Screens: Yee No 🖹			
./pe Model No			
Diam. Slot size from ft. to ft.			
tem. Stot size from ft. to ft.			
Grevel packed: Yes No Size of gravel			
Gravel placed fromft. toft.			
Surface seal: Yes 🖾 No 🗌 To what depth? 18+ a. Material used in seal Bentonite			
Did any strata contain unusable water? Yee No 🔼			
Type of water? Depth of strate			
Method of sealing streta off			
(7) PUMP: Menufacturer's Name	OCCUPANTAL OF ECOLOGY		
Type: H.P.	TASTERNI LEGISTAL		
(8) WATER LEVELS: Land-surface elevation above mean use level	Work Started 11/10/94 19. Completed 11/11 1		
Static level 8 P. below top of well Date 11/11/9]. Areselen preseure	WELL CONSTRUCTOR CERTIFICATION:		
Arteeian water a controlled by (Cap. valve, etc.)	constructed and/or apparet manonability for construction of this well and its		
	compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.		
9) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Yee No TC It was by whom?			
Was a pump test made? Yes No X If yes, by whom? Yeld: 30 gal./min. with ft. drawdown after hrs.	NAME J. & J. DRTILLING TNC		
Air test approx. 30-G.P.M.	Address S 5613 Linke Rd. Greenagres, WA 99016		
Recovery data (time taken as zero when pump turned of) (water level measured from well	(Signed) Bin 7 Mag at 9 License No. 2139		
top to water level) 9 Water Level Time Water Level Time Water Level	(WHALL DROLLER)		
THE THE TOTAL STATE OF THE TOTAL	Contractor's		
`	Registration NoJJDRII=177KU Date 11/14/		
	(USE ADDITIONAL SHEETS IF NECESSARY)		
Date of test	(OUR VOOLIGUANT SHEETS IL UECESSAKA)		
cleafor testgal./min, withft. drawdown afterhrs. Airtestgal./min, with stern set atft, forhrs.	Foology is an Found Opportunity and Affirmation And Affirmation		
Artesian flowge./min, with etem set at R, for	Ecology is an Equal Opportunity and Affirmative Action employer. For spe- cial accommodation needs, contact the Water Resources Program et (206)		
Temperature of water Was a chemical analysis made? Yes No	407-6600. The TDD number is (206) 407-6006.		

